

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(monitor\$4) with bandwidth same peer and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:34
L2	51	(tree or topogoly) same (re\$order\$4 or chang\$4) same chain and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:35
L3	352	(monitor\$4) with bandwidth and (re\$order\$4 or chang\$4) with order and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:40
L4	0	((monitor\$4) with bandwidth and (re\$order\$4 or chang\$4) with order). ab,ti. and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:39
L5	6	(monitor\$4) with bandwidth same (re\$order\$4 or chang\$4) with order and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:40
L6	7	((monitor\$4) with bandwidth).ab,ti. and (re\$order\$4 or chang\$4) with order and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:42
L7	61	(client or "peer-to-peer" or P2P) with monitor\$4 with bandwidth and @rlad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:43

EAST Search History

L8	3	(monitor\$4) with bandwidth and (re\$order\$4 or chang\$4) with order with (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:54
L9	5	(monitor\$4) with bandwidth and (re\$order\$4 or chang\$4) with order same (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:55
L10	126	(monitor\$4) with bandwidth and (re\$order\$4 or chang\$4) with order and (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:01
L11	56	(monitor\$4) same bandwidth and (re\$order\$4 or chang\$4) same order with (client or peer) and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:56
L12	52	l11 not l9	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:56
L13	121	l10 not l11	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:01
L14	148	(re\$order\$4 chang\$4) with queue and monitor\$4 same (bandwidth) and @rlad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:13

EAST Search History

L18	131	l14 not l13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:14
L19	40	(re\$order or chang\$4) with queue same bandwidth and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:28
L20	15	(server or client) same monitor same (chang\$4 or re\$order) with queue and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:34
L21	3	(tree or topogoly) same (re\$order\$4 or chang\$4) same chain same bandwidth and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:38
L22	4	(monitor\$4) with bandwidth same peer and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:38
L23	329	l3 not l14	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:40
L26	15	tree same (re\$order\$4 or chang\$4) with chain and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 12:17

EAST Search History

S1	6889	(client or "peer-to-peer" or P2P) with monitor\$4 and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:25
S3	2	("peer-to-peer" or P2P) with monitor\$4 with bandwidth and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:27
S4	0	("2002/0161898").URPN.	USPAT	OR	OFF	2007/06/11 10:26
S5	90	(client or "peer-to-peer" or P2P) with monitor\$4 with bandwidth and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:43
S6	11	(client or "peer-to-peer" or P2P) with monitor\$4 with bandwidth same (chang\$4 or re\$order\$4 or re\$arrang\$4) and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:35
S7	2	("5640384").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:28
S8	5	(client or "peer-to-peer" or P2P) with monitor\$4 with bandwidth same (chang\$4 or re\$order\$4 or re\$arrang\$4) and @ad<="20001205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 10:29
S9	4	((("6502131") or ("6687224"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 10:23

EAST Search History

S10	2	("20040078436").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:07
S11	2	("20020161898").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:07
S12	0	("2002/0161898").URPN.	USPAT	OR	OFF	2007/06/20 09:09
S13	118	("peer-to-peer" or P2P) with monitor\$4 and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:10
S14	166	(re\$order\$4 chang\$4) with queue and monitor\$4 same (bandwidth) and @ad<="20011205"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:13
S15	6	((("20020073204") or ("20040042402") or ("20020040479")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:28
S16	1963	queue same monitor and @ad<="20000310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 10:07
S17	85	S16 and (peer\$to\$peer or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:32

EAST Search History

S18	545	(chang\$4 or re\$order\$4 or hierarch\$5 or priorit\$4 or position\$4 or topology) same queue same monitor and @ad<="20000310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:32
S19	19367	(peer\$to\$peer or P2P)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:32
S20	40	S18 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:34
S21	290720	band\$width	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:34
S22	30	S21 and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 09:34
S23	22	queue same monitor same (peer\$to\$peer or P2P) and @ad<="20000310"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 10:08
S24	0	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 10:59

EAST Search History

S25	2	("6502131").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/20 11:01
S26	4	((("20020073204") or ("20020040479")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:13
S27	1	(server or client) with monitor with (chang\$4 or re\$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:15
S28	0	(server or client) with monitor with bandwidth same (chang\$4 or re\$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:16
S29	0	(server or client) same monitor same bandwidth same (chang\$4 or re\$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:16
S30	8	(server or client) same monitor same (chang\$4 or re\$order) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:34
S31	20224747	(re\$order or chang\$4) with queue @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20

EAST Search History

S32	20220423	(re\$order or chang\$4) with queue with bandwidth @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:19
S33	20220353	(re\$order or chang\$4) with queue with bandwidth with monitor @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S34	2	(re\$order or chang\$4) with queue with bandwidth with monitor\$4 and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S35	2	(re\$order or chang\$4) with queue with bandwidth with monitor and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S36	3425	(re\$order or chang\$4) with queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:20
S37	82	(re\$order or chang\$4) with queue same bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:28
S38	2	(re\$order or chang\$4) with queue same bandwidth same (client or server) and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 10:21

EAST Search History

S39	2	("5485455").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 11:53
S40	28	((("5784527") or ("6243391") or ("5502131") or ("6631118") or ("6665273") or ("6665264") or ("6760774") or ("6765872") or ("6791949") or ("6850763") or ("5970052") or ("5991812") or ("6421329") or ("6557041"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 11:58
S41	10	((("6631118") or ("6665273") or ("6687224") or ("6791949") or ("6850763"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:32
S42	4354	Qos and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:33
S43	206	Qos same (chang\$4 or re\$order\$4) same bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/21 12:34
S44	8	Qos same (chang\$4 or re\$order\$4) with client same bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/22 07:58
S45	417	(peer adj2 peer) and ("370"/\$.ccls. and "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 07:59

EAST Search History

S46	216	S45 and stream\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 07:59
S47	172	S45 and stream\$	USPAT	OR	ON	2007/06/22 07:59
S48	318	(peer adj2 peer) and ("370"/\$.ccls. and "709"/\$.ccls.)	USPAT	OR	ON	2007/06/22 08:06
S49	172	S48 and stream\$	USPAT	OR	ON	2007/06/22 08:06
S50	5	S49 and ((adjacent or succeeding or preceding) same bandwidth)	USPAT	OR	ON	2007/06/22 08:07
S51	335	(peer adj3 peer) and ("370"/\$.ccls. and "709"/\$.ccls.)	USPAT	OR	ON	2007/06/22 08:07
S52	178	S51 and stream\$	USPAT	OR	ON	2007/06/22 08:07
S53	5	S52 and ((adjacent or succeeding or preceding) same bandwidth)	USPAT	OR	ON	2007/06/22 08:07
S54	193	((peer adj3 peer) same network).ab.	USPAT	OR	ON	2007/06/22 08:16
S55	68	S54 and stream\$	USPAT	OR	ON	2007/06/22 08:17
S56	0	S55 and (adjacent same bandwidth)	USPAT	OR	ON	2007/06/22 08:08
S57	47	S55 and (bandwidth)	USPAT	OR	ON	2007/06/22 08:08
S58	46	S57 not S50	USPAT	OR	ON	2007/06/22 08:08
S59	3068	((peer adj3 peer) same network)	USPAT	OR	ON	2007/06/22 08:29
S60	0	S59 and (stream\$ same bandwidth same (buffer or fifo)).ab.	USPAT	OR	ON	2007/06/22 08:17
S61	13	S59 and (stream\$ same bandwidth). ab.	USPAT	OR	ON	2007/06/22 08:18
S62	11	S61 not S57	USPAT	OR	ON	2007/06/22 08:18
S63	230	((peer adj3 peer) same (client or server or node mor network)).ab.	USPAT	OR	ON	2007/06/22 08:29
S64	230	((peer adj3 peer) same (client or server or node or network)).ab.	USPAT	OR	ON	2007/06/22 08:31
S65	38	S64 and establish\$.ab.	USPAT	OR	ON	2007/06/22 08:30
S66	1	S65 and bandwidth.ab.	USPAT	OR	ON	2007/06/22 08:30
S67	9	((peer adj3 peer) same (client or server or node or network) same (queue or buffer or fifo)).ab.	USPAT	OR	ON	2007/06/22 08:31
S68	230	((peer adj3 peer) same (client or server or node or network)).ab.	USPAT	OR	ON	2007/06/22 10:26
S69	38	S68 and establish\$.ab.	USPAT	OR	ON	2007/06/22 10:40
S70	120	(peer\$to\$peer or P2P) with bandwidth	USPAT	OR	ON	2007/06/22 10:42

EAST Search History

S71	7	(peer\$to\$peer or P2P) with bandwidth same (re\$order\$4 or chang\$4 or queue)	USPAT	OR	ON	2007/06/22 10:43
S72	54	("20020062375" "20020073075" "20020073204" "20020087659" "20020107935" "20020161821" "20030067912" "20040068477" "20050053093" "5109483" "5224205" "5442637" "5517622" "5675629" "5675782" "5719861" "5729682" "5758087" "5768527" "5805820" "5896503" "5931916" "5941988" "5999530" "6032175" "6061734" "6105064" "6182136" "6212558" "6269099" "6324580" "6408341" "6456600" "6477590" "6490618" "6591310" "6611872" "6633761" "6651105" "6658540" "6671746" "6681282" "6721286" "6732180" "6742023" "6778491" "6782527" "6795917" "6810259" "6816461" "6826763" "6845091" "6865600" "6892230").PN. OR ("7197565").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:52
S73	54	("20020062375" "20020073075" "20020073204" "20020087659" "20020107935" "20020161821" "20030067912" "20040068477" "20050053093" "5109483" "5224205" "5442637" "5517622" "5675629" "5675782" "5719861" "5729682" "5758087" "5768527" "5805820" "5896503" "5931916" "5941988" "5999530" "6032175" "6061734" "6105064" "6182136" "6212558" "6269099" "6324580" "6408341" "6456600" "6477590" "6490618" "6591310" "6611872" "6633761" "6651105" "6658540" "6671746" "6681282" "6721286" "6732180" "6742023" "6778491" "6782527" "6795917" "6810259" "6816461" "6826763" "6845091" "6865600" "6892230").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:46
S74	100	server same (re\$order\$4) same queue	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:53
S75	32	server same (re\$order\$4) same queue and @ad<="20001220"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 10:53

EAST Search History

S76	14	("20020059274" "20020143959" "20020172221" "20030204602" "20030204605" "20030204613" "20030212804" "20040172476" "20050125831" "5603058" "5712976" "6742023" "6829634" "6920501").PN. OR ("7174385").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/06/22 11:01
S77	71	(monitor\$4) with bandwidth with peer	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:30
S78	0	(monitor\$4) with bandwidth with peer and @ad<="2001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:30
S79	0	(monitor\$4) with bandwidth with peer and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S80	0	(monitor\$4) with bandwidth with peer and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S81	8062	(monitor\$4) with bandwidth samepeer and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S82	0	(monitor\$4) with bandwidth same peer and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:34

EAST Search History

S83	0	(monitor\$4) with bandwidth same peer and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:31
S84	0	(monitor\$4) with bandwidth and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:32
S85	0	(monitor\$4) with bandwidth and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:32
S86	3	(monitor\$4) and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:33
S87	0	("peer to peer" or p2p) and @rlad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:33
S88	1	("peer to peer" or p2p) and @ad<="2001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:34
S89	4	(monitor\$4) with bandwidth same peer and @rlad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:34

EAST Search History

S90	5	(monitor\$4) with bandwidth same peer and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:38
S91	2780	(monitor\$4) with bandwidth and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:35
S92	372	(monitor\$4) with bandwidth and (re\$order\$4 or chang\$4) with order and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:38
S93	20	(monitor\$4) with bandwidth same (re\$order\$4 or chang\$4) with order and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:40
S94	5	monitor\$4 with bandwidth with peer and @ad<="20001220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/18 18:38
S95	60	(monitor\$4 with bandwidth) same (re\$order\$4 or chang\$4) same (position or queue)	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:15
S96	0	(monitor\$4 with bandwidth) same (re\$order\$4 or chang\$4) same (position or queue) and (p2p or "peer to peer")	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 10:27

EAST Search History

S97	140	tree same (re\$order\$4 or chang\$4) with chain	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:16
S98	45	tree same (re\$order\$4 or chang\$4) with chain and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 12:22
S99	1	tree same (re\$order\$4 or chang\$4) with chain same bandwidth and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:18
S100	1	tree same (re\$order\$4 or chang\$4) with chain same bandwidth and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:19
S101	3	(tree or topogoly) same (re\$order\$4 or chang\$4) same chain same bandwidth and @rlad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/20 12:22
S102	2	(tree or topogoly) same (re\$order\$4 or chang\$4) same chain same bandwidth and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:37
S103	129	(tree or topogoly) same (re\$order\$4 or chang\$4) same chain and @ad<="20001212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 12:16